




Visit the online Product Sheet

HM0420608S

COncal shape rotary burr, radius end



Details

| | |
|---------------------------|-------|
| Cut | S |
| C | |
| Diameter of cutting edge | |
| D +/-0,1 | 8,00 |
| Shank Diameter | |
| d h7 | 6,00 |
| Overall Length | |
| L | 65 |
| Cutting length | |
| l | 24,00 |
| Flute Inclination | |
| $\alpha 2$ | 7,0 |
| Corner Radius/Radius | |
| Cr/r | 1,50 |
| Shank references standard | |
| Shank ref. | HA |

Materials

| | |
|---------------------------------------|--|
| Steel < 800 n/mm ² | |
| Steel < 1000 n/mm ² | |
| Steel < 1300 n/mm ² | |
| Ferritic/Martensitic steel | |
| Austenitic steel | |
| PH Duplex | |
| Grey cast iron | |
| Aluminium | |
| Copper | |
| Thermoplastic resin | |
| Difficult-to-machine Superalloys | |
| Very difficult-to-machine Superalloys | |
| Titanium | |

Coatings

| |
|------------------------|
| Uncoated (HM0) |
| Alternative Coatings |
| Balinit® Alcrona (HMG) |



This tool is available in 5 diameters and 2 coatings.

 Please consider the environment, before printing this document.