



HM
LIM
490
Lime rotative



Visit the online Product Sheet

HMG4906100

Inverted cone shape rotary burr



Details

Diameter of cutting edge D +/-0,1	10,00
Shank Diameter d h7	6,00
Overall Length L	55
Cutting length l	13,00
Flute Inclination α2	-5,0
Shank references standard Shank ref.	HA

Materials

Steel < 800 n/mm ²	<div style="width: 100%; height: 10px; background-color: blue;"></div>
Steel < 1000 n/mm ²	<div style="width: 100%; height: 10px; background-color: blue;"></div>
Steel < 1300 n/mm ²	<div style="width: 100%; height: 10px; background-color: blue;"></div>
Ferritic/Martensitic steel	<div style="width: 100%; height: 10px; background-color: orange;"></div>
Austenitic steel	<div style="width: 100%; height: 10px; background-color: orange;"></div>
PH Duplex	<div style="width: 100%; height: 10px; background-color: orange;"></div>
Grey cast iron	<div style="width: 100%; height: 10px; background-color: red;"></div>
Aluminium	<div style="width: 100%; height: 10px; background-color: green;"></div>
Copper	<div style="width: 100%; height: 10px; background-color: green;"></div>
Thermoplastic resin	<div style="width: 100%; height: 10px; background-color: green;"></div>
Difficult-to-machine Superalloys	<div style="width: 100%; height: 10px; background-color: brown;"></div>
Very difficult-to-machine Superalloys	<div style="width: 100%; height: 10px; background-color: brown;"></div>
Titanium	<div style="width: 100%; height: 10px; background-color: brown;"></div>

Coatings


Balinit® Alcrona (HMG)

Alternative Coatings

Uncoated (HM0)



This tool is available in 4 diameters and 2 coatings.

 Please consider the environment, before printing this document.